



Incorporating functionality and value into MULTIFUNCTIONAL DEVICE



It's a **printer.**It's a **copier.**It's a **scanner.**

The new imageRUNNER 2420L/2422L is all these and more

Designed with small offices and corporate workgroups in mind, the imageRUNNER 2420L/2422L combines the functions of various essential office peripherals into one single device.

Providing print speeds of 20/22 pages per minute, you can achieve greater productivity at an exceptional value. Meet the needs of your office today with one essential device: the imageRUNNER 2420L/2422L.








Duplex Automatic Document Feeder automatically sends the originals placed in the feeder to the platen glass to perform duplexing. This optional accessory reduces manual labor, without the need to scan the originals manually.




Large 5-Line Display makes it easier for you to navigate to what you need at a glance.



Vertical Paper Path minimizes the likelihood of paper feeding jams. In addition, the shorter paper transport paths also translates to faster image transfer and printing.







Smart Design and Space Saving Internal Finisher adds a professional finish without increasing the device footprint. This optional accessory reduces manual labor with basic stapling and collation features, creating professional-looking documents effortlessly.



Maximum Input Capacity can be increased where needed. Upgrade from the default 250 sheet paper cassette up to a 1,000 sheet capacity to ensure ongoing productivity.

Energy Conservation Design built into Canon's RAPID Fusing System™ means the imageRUNNER device is ready to print instantly when needed, without long warm-up times and energy waste. This increases productivity, reduces energy cost, and helps save the environment at the same time.




Scan-Once-Print-Many

Scan your original document just once, and let the imageRUNNER 2420L/2422L produce copies from the stored digital image, reducing internal device wear and tear.



Identification Card Copy

Making copies of ID cards is easy when you use the ID Card Copy function. Both sides of the card will be scanned before they are printed on a single side of the paper.




Rotation and Collation

imageRUNNER 2420L/2422L allows rotation and collation of paper outputs without requiring optional finishers.




Image Combination

Save paper and filing space by combining 4 separate originals onto a single sheet of paper.



Enhanced Auto-Magnification


imageRUNNER 2420L/2422L offers a wide zoom ratio range of 25% - 400%. Enlarge or reduce contents to fit your desired paper size automatically at the touch of a button, eliminating the need to guess the copy ratio.





Enhanced Digital Local Print

imageRUNNER 2420L/2422L offers you 600 x 600 dpi Standard Local Print, eliminating the costs incurred on an additional standalone printer. Using Canon's innovative Ultra Fast Rendering II (UFR II LT) printing technology, you can achieve an optimal balance of quality and speed for every print job.



Forced Print with Auto Size Detection

Forced Printing allows paper output when desired output size is out of supply or not available. Letter-sized documents can be force printed to A4, and ledger-sized documents to A3, ensuring critical print outputs.



Convenient Duplex Printing

With an optional integrated duplex unit, you can perform two-sided printing on your imageRUNNER and reduce paper costs significantly.




Print two pages on a single piece of paper to save precious resources

Easier Merging with Page Composer

Canon's Page Composer allows you to merge documents from different applications (Microsoft Word, Excel, PowerPoint, PDF, etc.) into a single electronic document right from your desktop. You can then delete, duplicate and preview the merged document before actual printing.



Merge various file formats into a single document



Network Printing Capability

The imageRUNNER 2420L/2422L is designed to be an essential part of your office. With the optional network card installed, users in your office network can access this as a central printing device without the need for additional standalone printers.



Scan Solution with Color Network ScanGear

The imageRUNNER 2420L/2422L is a black and white multifunctional printer with full color scanning capabilities. Its optional color network scanning supports up to A3 size to provide greater accuracy and electronic document distribution.

The scanned images, imported in black-and-white or full color, can be edited with any Windows TWAIN-compliant applications to create clear, detailed images.



Extend your imageRUNNER's capabilities with optional accessories





imageRUNNER 2420L/2422L

- > 20/22 pages per minute output
- > Standard Local Print, with easy and direct connection through USB
- Advanced copying features such as Reserved Copy, Frame Erase, Image Combination, Zoom Mode and ID Card Copy
- > Large 5-Line user interface for easy navigation
- > Print outputs collated to your preference for easy and fast distribution

OPTIONAL ACCESSORIES

Auto Duplexing Feeder

2-Way Paper Output



DADF-P2



Inner 2-Way Tray-E2

Network Option



NW IF Adaptor IN-E14

$\{$ ADDITIONAL PAPER CASSETTES $\}$

Paper Cassettes



Casette Feeding Module-S1



Casette Feeding Module-T1

FINISHER OPTIONS

Output Option



Finisher-U2

Other Accessories

Size Adjustor-A1 iR Pedestal Type G iR Pedestal Type H Document Tray-J1 Platen Cover Type J Reader Heater Unit-D1 Cassette Heater Unit-30 Cassette Heater Kit-D1 Additional Finisher Tray-C1 Power Supply-Q1 Duplex Unit-A1

Supplies and Consumables

NPG-28 Toner Black NPG-28 Drum Black Staple Cartridge-J1



NPG-28 Toner





SPECIFICATIONS imageRUNNER 2420L/2422L

Main Unit Type	Deskton	
Maximum Original Size	Desktop A3	
Developing System	Single component dry toner projection development system	
Fixing System Resolution	On-demand Fusing Reading 600 x 600 dpi	
Resolution	Printing	600 x 600 dpi
Number of Tonos	256	000 x 000 dpi
Number of Tones		C1 to 00 gam
Acceptable Paper Stock	Paper Drawer	64 to 90 gsm
Acceptable Daner Size	Stack Bypass Tray	64 to 128 gsm
Acceptable Paper Size	Paper Drawer	A4, A4R, A3, A5, B4, B5, B5R
Marsa IIn Tine e	Stack Bypass Tray	95 mm x 148 mm to 297 mm x 432 mm
Warm-Up Time	13 seconds or less 7.9 seconds or less	
First Copy Time	(Using platen glass; A4, direct, paper drawer 1)	
Copy Speed (A4)	imageRUNNER 2420L	20 ppm
	imageRUNNER 2422L	22 ppm
Magnification	25 - 400% in 1% increments	
Paper Feeding System	Paper Drawer	250 sheets (80 gsm)
	Stack Bypass Tray	80 sheets (80 gsm)
Output Orientation	Face down	
Multiple Copies	1 to 99 sheets	
Memory	Standard 64 MB	
OS Compatibility	Windows XP Professional/Home Edition,	
	Windows 2000, Windows Server 2003,	
	Windows Vista, Windows Server 2008, Windows 7	
Power Source	220 - 240 V AC, 50/60 Hz, 2.7 A	
Max Power Consumption		
Dimensions (W x D x H)	622 mm x 638 mm x 580.4 mm (one drawer with a platen cover attached)	
	622 mm x 676 mm x 672 mm	
	(one drawer with a feeder attached)	
Weight	Approx. 37.9 kg	
	(one drawer with a platen cover attached)	
	Approx. 43.9 kg	
	(one drawer with a feeder attached)	
Toner Yield	Approx. 8,300 sheets equivalent (A4, 6% coverage)	
Drum Yield	55,000 sheets	
Optional Accessories		
Feeder (DADF-P2)		
Туре	Automatic Document Feeder	
Originals	A4, A4R, A3, A5, B4, B5, B5R	
Original Paper Weights	52 gsm to 105 gsm	
Original Tray Capacity	50 sheets (80 gsm)	
Cassette Feeding Mod		
Paper Sizes	A4, A4R, A3, A5, B4, B5, B5R	
Paper Capacity	250 sheets x 1 drawer (80 gsm)	
Cassette Feeding Mod		
Paper Sizes	A4, A4R, A3, A5, B4, B5, B5R	
Paper Capacity	250 sheets x 2 drawers (80 gsm)	
Finisher-U2 *		
Paper	64 gsm to 128 gsm	
Stacking Capacity	770 sheets	
Max Stapling Capacity	50 sheets (Corner Staple only)	
Paper Sizes	A4, A4R, A3, B4, B5	
Duplex Unit-A1		
Paper Sizes	A4, A4R, A3, A5R, B4, B5, B5R	
Paper Weight	64 gsm to 90 gsm	
Inner 2 Way Tray-E2		
Capacity	Tray A	A4/B5: 100 sheets (80 gsm)
		Other Sizes: 50 sheets (80 gsm)
	Tray B	A4: 250 sheets (80 gsm)
		Other Sizes: 100 sheets (80 gsm)

Additional Finisher Tray-C1, Cassette Size Adjuster-A1, iR Pedestal Type G, iR Pedestal Type H, Document Tray-J1, Platen Cover Type J, FL Cassette-AF1, Staple Cartridge-J1, Reader Heater-D1, Cassette Heater Unit-30, Cassette Heater Kit-D1, NW IF Adaptor IN - E14, NPG-28 Toner, Cassette Heater Uni NPG-28 Drum Unit

Canon

Delighting You Always

SOUTH & SOUTHEAST ASIA REGIONAL HEADQUARTERS

Canon Singapore Pte Ltd. 1 HarbourFront Avenue #04-01, Keppel Bay Tower, Singapore 098632 Tel: +65-6799 8888 | Fax: +65-6799 8882

www.canon-asia.com www.canon.com.sg

CANON SALES SUBSIDIARIES & BUSINESS PARTNERS

Afghanistan:

Megaplus Afghanistan Limited House No. 233, Street No. 4, Charagh Ali, Qilla-e-Fatehullah, Kabul, Afghanistan Tel: 93-700 228 832 / 93-700 979 511 Fax: 93-202 201 259

Email: info@megaplus.com.af

Bangladesh:

Flora Limited Adamjee Court Annex-2 (4th Floor) 119-120 Motiiheel Commercial Area Dhaka 1000 Bangladesh Tel: 880-2-716-2742-46 / 225 Fax: 880-2-955-0030 www.floralimited.com

Brunei:

No. 5-7 Bunut Jaya Complex Spg 574 Jalan Tutong BF1320 P.O. Box 423, Seri Complex Bandar Seri Begawan BA 1779 Brunei Darussalam Tel: 673-2-653-001 Fax: 673-2-653-003

Cambodia:

Royal Cambodia Co., Ltd #437 Preah Monivong Blvd Phnom Penh Kingdom of Cambodia Tel: 855-23-428955 Fax: 855-23-722961

Hong Kong: Canon Hongkong Co. Ltd 19F, The Metropolis Tower 10 Metropolis Drive Hunghom, Hong Kong Tel: 852-3191-2388 Fax: 852-2369-3800 www.canon.com.hk

India:

Canon India Private Limited 7th Floor, Tower B, Building #5 DLF Cyber Terraces, DLF Phase-3 Gurgaon - 122002 Haryana, India Tel: 91-124-416 0000 Fax: 91-124-416 0011 www.canon.co.in

Indonesia:

PT Samafitro Jalan Ir. H Juanda No.8 Jakarta 10120, Indonesia Tel: 62-21-345 8989 Fax: 62-21-345 6699 www.samafitro.co.id

Malaysia: Canon Marketing (Malaysia) Sdn Bhd Block D, Peremba Square Saujana Resort Section U2, 40150 Shah Alam Selangor Darul Ehsan, Malaysia Tel: 60-3-7844 6000 / 7845 0055 Fax: 60-3-7844 6196 / 6198 www.canon.com.my

Maldives:

Simdi Company Pvt Ltd. G.Manaam Building, 2/1 Neeloafaru Magu, Male' 20-129, Maldives Tel: 960-333 4421 Fax: 960-333 4424

Myanmar Golden Rock International Co., Ltd #06-01, Building 8, Myanmar ICT Park, Universities' Hlaing Campus, Hlaing Township, Yangon, Myanmar. Tel: 95-1-654810 to 17 Fax: 95-1-654820 Email: sales@mgr.com.mm

International Electronics Concern (P) Ltd Kha 14, 1st Floor Haratibhawan Putalisadak Ramshah Path, Kathmandu, Nepal P.O. Box 12588 Tel: 977-1-442 1991 Fax: 977-1-442 1909

Pakistan:

Shirazi Trading Company (Pvt.) Ltd 8th Floor, Adamjee House I.I. Chundrigar Road Karachi 74000 Pakistan Fax: 92-21-(3241 7747), (3242 0417) or (3242 0418) www.shirazitrading.com.pk

Philippines:
Canon Marketing (Philippines), Inc.
Ground Floor Commerce and Industry Plaza.
Campus Ave. Cor. Park Ave., McKinley Hill
Fort Bonifacio, Taguig City
Tel: 632-884-9000
Fax: 632-556-1456 www.canon.com.ph

Sri Lanka:

Metropolitan Office (Pvt) Ltd 12, Magazine Road Colombo 08 Sri Lanka Tel: 94-11-470 0200 Fax: 94-11-470 0267

Taiwan: Canon Marketing (Taiwan) Co. Ltd 19F, No. 100, Sec. 2 Roosevelt Road, Taipei, Taiwan, R.O.C. Tel: +886 2-6632-8888 Fax: +886-2-6632-6700 www.canon.com.tw

Canon Marketing (Thailand) Co. Ltd No.98 Sathorn Square Office Tower, 21st - 24th floor, North Sathorn Road, Silom, Bangrak, Bangkok 10500 Tel: 66-2-344 9999 Fax: 66-2-344 9960

Vietnam:

Vietnam: Canon Marketing (Vietnam) Co. Ltd Level 10, President Place, 93 Nguyen Du, Dist 1, Ho Chi Minh City, Vietnam Tel: 84-8-3820 0466 Fax: 84-8-3820 0477 www.canon.com.vn

This document is for information purpose only and the contents are subject to change without notice. Product options, name and availability may vary by regions. Nothing in this document should be construed as a warranty. We expressly disclaim any liability or contractual obligations with respect to this document.

Canon, imageRUNNER, imageRUNNER ADVANCE, imageCHIP, RAPID Fusing System, MEAP, eMaintenance, iW, Business can be simple and get Smart get genuine are trademarks of Canon Inc. and/or its affiliates. "MEAP" is a trademark of CANON Inc., referring to an "application platform" for Canon multifunction and single function printers. Other names may be the trademarks of their respective owners

^{*} Power Supply-Q1 is required.